
L Number	Hits	Search Text	DB	Time stamp
1	166	(virus with scan\$) and (version with file)	USPAT;	2004/03/13 14:36
-		,,	US-PGPUB;	
·			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	50	((virus with scan\$) and (version with	USPAT;	2004/03/13 14:36
		file)) and (scan\$ with application)	US-PGPUB; EPO; JPO;	
			DERWENT;	•
			IBM TDB	
3	70	((virus with scan\$) and (version with	USPĀT;	2004/03/13 14:37
		file)) and (virus with application)	US-PGPUB;	
			EPO; JPO;	
	i		DERWENT;	
-	, ,	(0.4<0.001.227 ///	IBM_TDB USPAT;	2004/03/13 14:37
5	1	(@pd<20001227 and (((virus with scan\$) and (version with file)) and (virus with	US-PGPUB;	2004/03/13 14:3/
		application))) and (version with	EPO; JPO;	
		attribute)	DERWENT;	
]			IBM TDB	
4	24	<pre>@pd<20001227 and (((virus with scan\$) and</pre>	USPAT;	2004/03/13 14:56
		(version with file)) and (virus with	US-PGPUB;	
]		application))	EPO; JPO;	
			DERWENT; IBM TDB	
6	738	version with virus	USPAT;	2004/03/13 15:00
	, 50	Version with virus	US-PGPUB;	2001/05/15 15:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	14	(@pd<20001227 and (((virus with scan\$) and	USPAT;	2004/03/13 15:11
		(version with file)) and (virus with	US-PGPUB;	
		application))) and (version with virus)	EPO; JPO; DERWENT;	
			IBM TDB	
8	581	virus with definition	USPĀT;	2004/03/13 15:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
9	2	((@pd<20001227 and (((virus with scan\$)	IBM_TDB USPAT;	2004/03/13 15:00
		and (version with file)) and (virus with	US-PGPUB;	2004,03,13 13.00
		application))) and (version with virus))	EPO; JPO;	
		and (virus with definition)	DERWENT;	
			IBM_TDB	
10	3		USPAT;	2004/03/13 15:22
		<pre>and (version with file)) and (virus with application))) and (version with virus))</pre>	US-PGPUB; EPO; JPO;	
		application))) and (version with virus)) and (creat\$ with version)	DERWENT;	
		(020007 11201 10201011)	IBM TDB	
11	1	((@pd<20001227 and (((virus with scan\$)	USPĀT;	2004/03/13 15:24
		and (version with file)) and (virus with	US-PGPUB;	
		application))) and (version with virus))	EPO; JPO;	
		and (creat\$ with version with virus)	DERWENT;	
12	1	(707/203).ccls. and (@pd<20001227 and	IBM_TDB USPAT;	2004/03/13 15:26
1-2		(((virus with scan\$) and (version with	US-PGPUB;	2004/03/13 13.20
		file)) and (virus with application)))	EPO; JPO;	
			DERWENT;	
		<u> </u>	IBM_TDB	
13	14	(@pd<20001227 and (((virus with scan\$) and	USPAT;	2004/03/13 15:33
		(version with file)) and (virus with	US-PGPUB; EPO; JPO;	
		application))) and (virus with version)	DERWENT;	
			IBM TDB	
14	2	("5892904").PN.	USPAT;	2004/03/13 15:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L			IBM TDB	<u> </u>

r				
15	5	(@pd<20001227 and (((virus with scan\$) and	USPAT;	2004/03/13 15:38
ŀ		(version with file)) and (virus with	US-PGPUB;	
		application))) and (713/201).ccls.	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	2	("5832480").PN.	USPAT;	2004/03/13 14:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	"5510981".PN.	USPAT	2004/01/28 18:28
-		"5287278".PN.	USPAT	2004/01/28 18:28
_	1 1 1	"4868750".PN.	USPAT	2004/01/28 18:28
-	121	document with proper with name	USPAT;	2004/01/28 19:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(1)	IBM_TDB	2004/01/20 20 20
-	24		USPAT;	2004/01/28 20:28
		(document\$ with (cluster\$ or categor\$ or	US-PGPUB;	
		class)) and rank\$	EPO; JPO;	
			DERWENT;	
	_	and < 20000521 and 1/d	IBM_TDB	2004/01/20 10:15
_	5	• F == = = = = = = = = = • • • • • • •	USPAT;	2004/01/28 19:16
		with name) and (document\$ with (cluster\$	US-PGPUB;	
		or categor\$ or class)) and rank\$)	EPO; JPO;	
			DERWENT;	
		(0-d<20000521 and //damment with manner	IBM_TDB USPAT;	2004/01/28 19:16
_	0		US-PGPUB;	2004/01/28 19:16
		with name) and (document\$ with (cluster\$		
		or categor\$ or class)) and rank\$)) and	EPO; JPO;	
		(duplicat\$ or double) and aggregat\$	DERWENT;	
	1,	(decument with maner with name) and	IBM_TDB USPAT;	2004/01/28 19:16
-	11	··············	US-PGPUB;	2004/01/28 19:18
		(duplicat\$ or double) and aggregat\$	EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	0	<pre>@pd<20000531 and (((document with proper</pre>	USPAT;	2004/01/28 19:22
		with name) and (duplicat\$ or double) and	US-PGPUB;	2001, 01, 20 15.22
		aggregat\$) and (document\$ with (cluster\$	EPO; JPO;	
		or categor\$ or class)))	DERWENT;	
			IBM TDB	
_	7	((document with proper with name) and	USPAT;	2004/01/28 19:20
		(duplicat\$ or double) and aggregat\$) and	US-PGPUB;	
		(document\$ with (cluster\$ or categor\$ or	EPO; JPO;	
		class))	DERWENT;	
			IBM TDB	
-	692	aggregat\$ with document	USPĀT;	2004/01/28 19:20
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	125	duplicat\$ with (remov\$3 or delet\$4) with	USPAT;	2004/01/28 19:21
		words	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(aggregat\$ with document) and (duplicat\$	USPAT;	2004/01/28 19:21
1		with (remov\$3 or delet\$4) with words) and	US-PGPUB;	
		(document\$ with (cluster\$ or categor\$ or	EPO; JPO;	
		class)) and rank\$	DERWENT;	
			IBM_TDB	
_	0	(aggregat\$ with document) and (duplicat\$	USPĀT;	2004/01/28 19:21
		with (remov\$3 or delet\$4) with words) and	US-PGPUB;	
		(document\$ with (cluster\$ or categor\$ or	EPO; JPO;	
		class))	DERWENT;	
			IBM_TDB	

•				
-	2	@pd<20000531 and (aggregat\$ with document)	USPAT;	2004/01/28 20:28
		and (duplicat\$ with (remov\$3 or delet\$4)	US-PGPUB;	
		with words)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	"5510981".PN.	USPAT	2004/01/28 19:24
_	2	("5819265").PN.	USPAT;	2004/01/28 20:21
		, ,	US-PGPUB;	·
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
_	2	("6260038").PN.	USPAT;	2004/01/28 20:22
	_	, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
l -	2	("5857179").PN.	USPAT;	2004/01/28 20:23
	1	(000, 210 , 120)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	103	(document with label) and (document\$ with	USPAT;	2004/01/28 20:28
	103	(cluster\$ or categor\$ or class)) and rank\$	US-PGPUB;	2001,02,20 20.20
	i	(Clubecty of Category of Clabby, and family	EPO; JPO;	
1			DERWENT;	
			IBM TDB	
_	28	@pd<20000531 and ((document with label)	USPĀT;	2004/01/28 20:28
	20	and (document\$ with (cluster\$ or categor\$	US-PGPUB;	2001,01,20 20120
		or class)) and rank\$)	EPO; JPO;	
		or orabby, and ramy,	DERWENT;	
	i	·	IBM TDB	
_	0	(@pd<20000531 and ((document with label)	USPAT;	2004/01/28 20:29
		and (document\$ with (cluster\$ or categor\$	US-PGPUB;	2001, 01, 20 20123
	į	or class)) and rank\$)) and ((remov\$ or	EPO; JPO;	
		delet\$) with words with duplicat\$)	DERWENT;	
		donot, , min notab min auptroact,	IBM TDB	
_	0	(@pd<20000531 and ((document with label)	USPAT;	2004/01/28 20:30
		and (document\$ with (cluster\$ or categor\$	US-PGPUB;	
		or class)) and rank\$)) and ((remov\$ or	EPO; JPO;	
		delet\$) with words with match\$)	DERWENT;	
		. ,	IBM TDB	
-	7	(@pd<20000531 and ((document with label)	USPAT;	2004/01/28 20:44
		and (document\$ with (cluster\$ or categor\$	US-PGPUB;	
		or class)) and rank\$)) and ((remov\$ or	EPO; JPO;	
		delet\$) with words)	DERWENT;	
		. , ,	IBM TDB	
_	1	840421.apn.	USPAT;	2004/01/28 20:44
	_	•	US-PGPUB;	
			EPO; JPO;	ĺ
1			DERWENT;	
			IBM TDB	
	L	<u> </u>		L.,



Web - Images - Groups - Directory - News

Searched the web for virus scan application version attribute mask signature version "virus definition". Re Tip: To get dictionary definitions for your search terms, click on the underlined search term(s) in the blue bar above

EP1235143

... party application such as a virus scan application or a ... to the version of the application

used to ... In yet other embodiments, the **version**-specific **attribute** may ... swpat.ffii.org/pikta/txt/ep/1235/143/ - 54k - <u>Cached</u> - <u>Similar pages</u>

EP1237073

... party application such as a virus scan application or a ... the object itself or of the

application used to ... In yet other embodiments, the **version**-specific property ...

swpat.ffii.org/pikta/txt/ep/1237/073/ - 61k - Cached - Similar pages

[PDF] Virus Bulletin, June 1998

File Format: PDF/Adobe Acrobat

... 9805 is a native PowerPC **application**, so cannot ... VIR', 'HIE', 'OOLK', 'UARD'.

'SCAN', 'CLEA' and ... de Cevallitos-= RATA de GLEW virus =-'. ... www.virusbtn.com/magazine/archives/pdf/1998/199806.PDF - Similar pages

[PDF] Virus Bulletin, August 1999

File Format: PDF/Adobe Acrobat

... don't usually have a .l extension, anti-virus products neglected to scan these

files ... the extension is used to determine which **application** to launch ... www.virusbtn.com/magazine/archives/pdf/1999/199908.PDF - Similar pages

Sponsored Links

Flu/Sars protective kits
Safer America, leading supplier of
personal safety products
www.saferamerica.com
Interest:

Dust Masks On Sale
10,000+ Janitorial & Cleaning Items
Up to 50% Savings. 25 Locations.
www.BettyMills.com
Interest:

Download McAfee AntiVirus
McAfee cleans your PC if infected.
Get full virus protection now. Aff
www.McAfee.com

Virus Scan Free
Test for Dangerous SpyWare & AdWare
Scan your Computer Free, aff
www.noadware.net
Interest:

See your message here...

[PDF] Kaspersky Anti-Virus 5.0 for Lotus Notes/Domino

File Format: PDF/Adobe Acrobat - View as HTML

... of messages of Lotus Notes/Domino **version** R5 and R6 ... The modules Monitor and **Scan** are implemented as Lotus ... After installation of Kaspersky Anti-**Virus** for Lotus ... www.2f.hu/files/kav/doc/kav5.0_lotuse.pdf - <u>Similar pages</u>

Data Formats and Their File Extensions, next ...

... scc Text file .scd Scodl **Scan** Conversion Object ... list object file (dBASE **Application** Generator) .van ... Quarantined file .vdf AntiVir **virus definition** file Vexira ... www26.brinkster.com/sijie/doc/datafilenext.html - 61k - Cached - Similar pages

[PDF] User's Guide

File Format: PDF/Adobe Acrobat - View as HTML

... Norton AntiVirus for Macintosh provides comprehensive **virus** prevention, detection ... 8.1 to 9.x in one **version** 1 Quarantine ... that cannot be repaired 1 **Scan** on mount ... www.upenn.edu/computing/virus/docs/navmac/ navmac90/NAV%2090%20User%20Guide.pdf - Similar pages

[PDF] Symantec™ Central Quarantine Administrator's Guide

File Format: PDF/Adobe Acrobat - View as HTML

... Be careful not to use another application's reserved ... between the two is how virus

http://www.google.com/search?hl=en&lr=&ie=UTF-8&oe=UTF-8&q=virus+scan+applicatio... 3/13/04

definitions updates ... Under email-based **Scan** and Deliver, definitions updates ... software.berkeley.edu/windows/scs/ test/scs-docs/centquar_admin.pdf - <u>Similar pages</u>

[PDF] Microsoft Windows XP Home Edition

File Format: PDF/Adobe Acrobat

... ANTIVIRUS / VIRUS PROTECTION ... Microsoft Windows XP Home Edition Security Implementation Version 1.4b ... need to check all three groups (Application, System, and ...

www.giac.org/practical/GSEC/Dennis_Schrader_GSEC.pdf - Similar pages

[PDF] Nemx Power Tools Guide

File Format: PDF/Adobe Acrobat - View as HTML

... 5 What 's New Version 4.2 of Nemx Power Tools includes features for ... 92 Scan Format ... 4.

On the Anti-Virus tab, within the Notifications window right click an ...

www.nemx.com/Documents/TechDocs/ Power%20Tools%20-%20Manual.pdf - Similar pages

Google >

Result Page: 1 2

virus scan application version attribu Google Search Search within results

Dissatisfied with your search results? Help us improve.

Get the Google Toolbar: Google - Search Web - Been Page Rank - 6 blocked - Auk

Google Home - Advertise with Us - Business Solutions - Services & Tools - Jobs, Press, & Help

©2004 Google